



This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)

Allow all cookies

Use necessary cookies only

[Details](#)

detection range at a mounting height of 2.7 metres. This ensures reliable motion detection across expansive areas, from small rooms to large open spaces.

Surface

Install it your way, S1's surface mounting accessory allows for flexible installation with 20mm exclusion areas for conduit through wiring. It maintains IP65 protection, combining durability with ease of integration.

Versatility

Equipped for any setting, the S1 boasts an IP65 rating, making it a champion against dust and water. Its versatility ensures top performance indoors and outdoors, adapting effortlessly to varying environmental conditions.

Cover


Maintenance made simple, the S1's cover clips easily onto the sensor and is paintable, facilitating smooth integration with your architectural designs. Quick access for maintenance combined with aesthetic adaptability enhances both functionality and style.

This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)


[Read More](#)



This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.


[Privacy policy](#)



This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)



SENSORS

IC-S509-PLB-BAT-RW-CS

IC-S509-PLB-BAT-RW-CS integrates PIR motion detection and ambient light sensing. Powered by aCR123A battery and compatible with Casambi Bluetooth Mesh networks.

CUPOWER


NEW



This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)



This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)

Subscribe to our newsletter

Receive a regular digest of Casambi stories from around the world, info on all upcoming events and the latest product updates.

Your email address*

Submit

Follow Us



Configure. Control. Automate.
One App Suite.

Commission and automate lighting with Casambi App &

This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)

02600 Espoo
Finland

Casambi.com

Products

Casambi products

Drivers

Dimmers

Sensors

Modules

Control gear

Luminaires

This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)

Join Ecosystem

Casambi for Luminaire Manufacturers

Casambi for Component Manufacturers

Casambi for Sales and Service Partners

Applications

Office

Industry

Outdoor

Hospitality

Arts and Culture

Healthcare

This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)

© 2026 Casambi Technologies Oy / Inc.

[Privacy Policy](#)

[Vulnerability Disclosure Policy](#)

[Subscription center](#)

CASAMBI

This website uses cookies

We use cookies on our website to improve your visitor experience. Cookies help us to personalize the content and advertising for you. We also use the data to understand our website usage to make continuous improvements for all website visitors. To learn more about the different cookies we're using, check out our privacy policy or view details below.

[Privacy policy](#)